



# Gulf Green NS Hydraulic Oil 32

## Material Safety Data Sheet

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

#### Product Identification

-----  
 Product Name: Gulf Green NS Hydraulic Oil 32  
 Product Number: 334932  
 Synonyms: Zinc Free Antiwear Hydraulic Fluid, Petroleum Based  
 Chemical Name: Hydrotreated heavy paraffinic distillate  
 Chemical Family: Petroleum Distillate  
 CAS Number: Blend

#### Company Identification

-----  
 Gulf Oil LP/Nu-Tier Brands, Inc.  
 Tulsa, OK  
 TECHNICAL CONTACT NUMBER: 918-550-8026, Ext. 507  
 CHEMTREC: EMERGENCY CONTACT 1-800-424-9300

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

#### COMPONENT LISTING:

Chemical Name	Amount	CAS Number
-----	-----	-----
Distillates, Hydrotreated Paraffinic	0 - 85%	64742-65-0
Distillates, Hydrotreated Paraffinic	0 - 85%	178603-65-1
Additives	< 15%	Confidential

(See Section 8 for exposure guidelines)  
 (See Section 15 for regulatory information)

#### HAZARDS DISCLOSURE

This product contains no known hazardous materials as defined by the OSHA Hazard Communication Standard 29 CFR 1910.1200.

As defined under Sara 311 and 312, this product contains no known hazardous materials.

### 3. HAZARDS IDENTIFICATION

```

***** EMERGENCY OVERVIEW *****
*
* Not expected to cause a severe emergency hazard.
*
*****

```

HMIS Rating - Health: 0  
 Flammability: 1  
 Reactivity: 0



# Gulf Green NS Hydraulic Oil 32

## Material Safety Data Sheet

### POTENTIAL HEALTH EFFECTS

#### EYE:

Contact may cause eye irritation and redness.

#### SKIN:

Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash).

#### INHALATION:

Inhalation of vapors or mist may be mildly irritating to the nose, throat, and respiratory tract.

#### INGESTION:

Small amounts swallowed during normal handling operations are not likely to cause injury.

#### CHRONIC EFFECTS:

None reported

#### CARCINOGENICITY INFORMATION:

None known.

## 4. FIRST AID MEASURES

#### EYE CONTACT FIRST AID:

Flush eye with water for 15 minutes.

Get medical attention if irritation develops or persists.

#### SKIN CONTACT FIRST AID:

Wash skin with soap and water.

Thoroughly wash (or discard) clothing and shoes before reuse.

#### INHALATION FIRST AID:

Remove to fresh air.

If not breathing, give artificial respiration.

#### INGESTION FIRST AID:

If vomiting should occur spontaneously, keep airway clear.

#### NOTES TO PHYSICIAN:

Treat symptomatically.



# Gulf Green NS Hydraulic Oil 32

## Material Safety Data Sheet

### 5. FIRE FIGHTING MEASURES

#### FLAMMABLE PROPERTIES

COC Flash Point: >204.4° C (>400° F)

Auto-ignition Temperature: > 315.6° C (> 600.1° F)

#### FLAMMABLE LIMITS IN AIR

LEL: N/A

UEL: N/A

#### EXTINGUISHING MEDIA:

Carbon dioxide, foam, or dry powder. Do not use water, because this product is oil based. Water may cause frothing.

#### FIRE FIGHTING INSTRUCTIONS:

As in any fire, wear self-contained breathing apparatus pressure-demand MSHA/NIOSH (approved or equivalent) and full protective gear.

#### COMBUSTION PRODUCTS:

Hazardous decomposition products are fumes, smoke, oxides of carbon and nitrogen including CO and CO<sub>2</sub>.

### 6. ACCIDENTAL RELEASE MEASURES

#### SAFEGUARDS (PERSONNEL):

Wear appropriate personal protective equipment.

#### INITIAL CONTAINMENT:

Absorb spills with inert material. Do not allow material to enter soil or surface water.

#### LARGE SPILLS PROCEDURE:

Contain spilled material. Absorb spills with inert material (e.g., dry sand or earth), then place in a chemical waste container, Do not flush to sewer.

Large spillage should be dammed-off and pumped into containers.

Treat or dispose of waste material in accordance with all local, state/provincial, and national requirements.

#### SMALL SPILLS PROCEDURE:

Clean up area by absorbent material.



# Gulf Green NS Hydraulic Oil 32

## Material Safety Data Sheet

Treat or dispose of waste material in accordance with all local, state/provincial, and national requirements.

### 7. HANDLING AND STORAGE

**HANDLING (PERSONNEL):**

DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.

Wash hands thoroughly after handling.

**HANDLING (PHYSICAL ASPECTS):**

Store in a cool dry area.

Keep container closed to avoid contamination.

**STORAGE PRECAUTIONS:**

Keep container closed when not in use.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**ENGINEERING CONTROLS:**

Not required under normal conditions of use. However, if unusual operating conditions exist, then provide sufficient mechanical ventilation to maintain exposure below PEL/TLV (s).

**EYE / FACE PROTECTION REQUIREMENTS:**

Where contact with this material is likely, eye protection is recommended.

**SKIN PROTECTION REQUIREMENTS:**

When prolonged or frequently repeated contact could occur, use protective clothing impervious to this material.

**RESPIRATORY PROTECTION REQUIREMENTS:**

When there is potential for airborne exposures in excess of applicable limits, wear NIOSH/MSHA approved respiratory protection.

**EXPOSURE GUIDELINES:**

No Information Available.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

FORM .....: Liquid  
COLOR .....: Amber  
ODOR .....: Petroleum  
BOILING POINT .....: >425° F



# Gulf Green NS Hydraulic Oil 32

## Material Safety Data Sheet

Pour Point ..... -20°F  
VAPOR PRESSURE ..... <1 @ 20°C mm/Hg  
VAPOR DENSITY ..... >1 (Air = 1)  
SOLUBILITY IN WATER ..... Nil  
SPECIFIC GRAVITY ..... 0.85 (Water = 1)  
Flash Point ..... 400°F min  
VISCOSITY ..... 32 cSt at 40 Deg C  
Explosive Properties..... UEL - not available LEL Not available

### 10. STABILITY AND REACTIVITY

**STABILITY:**

Stable.

**POLYMERIZATION:**

Hazardous polymerization will not occur.

**INCOMPATIBILITY WITH OTHER MATERIALS:**

Avoid contact with strong oxidizing agents.

**DECOMPOSITION:**

In the case of a fire, oxides of carbon, hydrocarbons, fumes, and smoke may be produced.

**CONDITIONS TO AVOID:**

Sources of ignition.

### 11. TOXICOLOGICAL INFORMATION

No information available.

### 12. ECOLOGICAL INFORMATION

No information available.

### 13. DISPOSAL CONSIDERATIONS

**WASTE DISPOSAL:**

Treat or dispose of waste material in accordance with all local, state/provincial, and national requirements.

Do not flush to surface water or sanitary sewer system.

**CONTAINER DISPOSAL:**

Empty drums should be completely drained, properly bunged and promptly shipped to the supplier or a drum reconditioner.



# Gulf Green NS Hydraulic Oil 32

## Material Safety Data Sheet

All other containers should be disposed of in an environmentally safe manner.

### 14. TRANSPORTATION INFORMATION

PRODUCT LABEL .....: Gulf Green NS Hydraulic Fluid 32  
D.O.T. SHIPPING NAME ...: Not regulated by DOT

### 15. REGULATORY INFORMATION

MISCELLANEOUS INFORMATION:

This material or all of its components are listed on the Inventory of Existing Chemical Substances under the Toxic Substance Control Act (TSCA).

### 16. OTHER INFORMATION

REASON FOR ISSUE ...: NEW  
APPROVAL DATE .....: September 18, 2012  
SUPERCEDES DATE .....:  
RTN NUMBER .....:

ADDITIONAL INFORMATION:

The data in this Material Safety Data Sheet relates only to the specific material designated herein.

\*\*\*\*\*  
This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Gulf Oil LP. The data on this sheet are related only to the specific material designated herein. Gulf Oil LP assumes no legal responsibility for use or reliance upon these data.  
\*\*\*\*\*

END OF MSDS

\*\*\*\*\*